lame Vatcl	S SEL	Print)  2ADE1	RABETTE TE		Date	7-20-	V.O Numb	Page 2007	of 1324	1.
spect	ted From	unt VA	TE July	То	Lun	reeville	-			
	Exception Chair	n Marker No.	w.o.	Track	Rail	Switch	Cod	des	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			11.16世间第20							<del></del>
2.										
3.		,	HARMATIN DE							
4.			NA SIMPLANT							
	45									
5.										
6.										
7.							<b>*</b>			
8.										
9.							<b>-</b>			
m	COMMENTS		Principal and State of the Principal of							
T	NO NE	W DE	FECTS	NOTE	50 1	N ARE	A			
	8:00 A 9:00 A 10:00 A 11:00 A 12:00 P	WARREN LUTHER	RD. VALLEY	999						
₩€ \$	Were Switch ere all single opNO SPECIAL IN	erating med		ecting r		witches inside	Oarea and op	eratated in	each positi	on ?
Rea	ason for spec	ial Inspec	tion ?		-ica					<u> </u>
Trac	k Inspector Si	gnature		ž	<sub>(S</sub>		Supervisor	y Cretificat	ion <u>M</u>	120-

	hman ted From	Print)	<u>v</u> r'U€	То	Cold	Spring	W.O Numb	er <u>200</u>	937	7
	Exception Chain	Marker No.	W.O.	Track	Rall	Switch	Coc	les	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•						
2.	5.8									
3.							-			
4.										
_				-					- 8	
5. 6.									**	
7.										.9
8.										
9.										
m	COMMENTS		I BATHATA BATHATA AND AND AND AND AND AND AND AND AND AN							
$\pm$										
We	Were Switch re all single ope	<i>in the area</i> erating med	o <b>f Inspecte</b> hanism & con	d Ye		No itches inside a	o area and ope	eratated in e	each positio	on ?
3	re all single ope	Prating med	hanism & con	ecting ro	od type sw	Notition in the state of the st	o area and ope	eratated in e	each positio	on ?
Rea	re all single ope	Prating med SPECTIO al Inspect	hanism & con	ecting ro	od type sw	itches inside	area and ope		11/6	on?

atch	(Pleas	e Print)				7-21-1 thizun	W O Numb	Page er_ 200	of 8667	1.
	Exception Cha	ain Marker No.	w.o.	Track	Rall	Switch	Cod	ies	Status	Repair
em	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
	<u> </u>							s	12	
5.									(0)	
3.										
			la de de la						344	
3.										
).	-		24年4月前最初20							
		100	Com	to the Porder		1040			W	
We	Were Swit		a of Inspecte				Oarea and op	eratated in	each positi	on ?
Rea			ON Yes_ tion?		,,					, (************************************
Trac	k Inspector	Signature		sē.			Supervisor	y Cretificat	tion/US	Deft

vatcl	5 5 E K (Please F nman 5 5 ed From Cou	Print) ELL  D Spi	NABETT PINC	To	Como	7-21-2 en Yanis	W.O Number	Page 2 00	of 09415	14
	Exception Chain	Marker No.	w.o.	Track	Rall	Switch	Cod	es	Status	Repair
em	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.										
3.			9009 104				<u> </u>			
<u> </u>										
$\dashv$										
$\cdot \mid$										
n.	COMMENTS		Kanyi Historya							
	10:00 A 11:00 A 12:00 P	(Pm)	BERRY EN YARD IVE	)s 9 1	९० ८० १०					
1										
						-				
We	Were Switch ere all single ope NO							eratated in	each positi	on ?
	SPECIAL IN	SPECTIC	N Yes_		NO	——				
Rea	ason for specia	al Inspect	ion ?							7 ,
Trac	k Inspector Sig	nature		ş			Supervisor	v Cretificat	tion/UP	Snort

Nama	S SEC (Please hman A	1 la	RABET	56	Date	7-71-2	7015	Dogo	of	ľ
Namo	( Please	Print	10111501	,,,	Date	, , , ,		rage	- OI	
Vato	nman A	RABETTE					W.O Numb	ar 2000	3415	, 4
nenec	ed From	MT PO	(A)	To	DEN	1 1	W.O Mullib	01		
.opoo	10011	1111 2014	, ri C	10	101			20		
	Exception Cha	in Marker No		Track	Rall	Switch	Cod	log I	Status	Denole
Item	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Repair Y/N
1.	7 10117	1	Namber	. 140.		140.	Comp.	Delect	3/1/K	1/19
2.							<b>!</b>	<del></del>		
3.			30,045,65080.50				<del> </del>	<del></del>		
4.			Managarak d							
<del>-4.</del>		<b>-</b>					<del> </del>			
_							<b></b>	<b></b>		
5.							<b> </b>			
6.							ļ			
7.							-		84	
8.							ļ			
9.   em	COMMENTS	L	Children Miles							
)								0	(A)	
	Were Switch	perating mec				Nwitches inside			each positi	on ?
	SPECIAL II	NSPECTIC								,
170										

	BW I	W.O. Number	Track No.	Rail E/W	Switch No.	Coordinate	Defect	Status S/Y/R	Repail Y/N
om eption Chali	To	W.O.	Track No.	E/W	No.	Coordinate	des Defect	Status S/Y/R	Repail Y/N
eption Chali	To	W.O.	Track No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
2									
MMENTS	No		Do.4	ie cts	note	din	Arca		
MMENTS	No		Doct	ects	note	din	Arca		
MMENTS	No		Do.4	cocts	note	din	Arca		
MMENTS	No		Do.4	ects	note	d m	Arca		
MMENTS	No		Do 4	ects	no te	d in	Arca		
MMENTS	No		Do.f	ects	note	din	Arca		
MMENTS	No		Do 4	ects	note	din	Arca		
MMENTS	No		Do f	io cts	note	d in	Arca	744	
MMENTS	No	(4 PH (6 DE)	Do 4	ects	note	din	Arca		
MMENTS	No		Do 4	ects	note	din	Arca		
MMENTS	No	New	Do 4	ects	note	din i	Arca		
	No	New	Do.f	ects	note	d in i	Arca		
						7-35-92 - 12-34-9 - 12-35-92 - 12-34-9		у.	
ll single op	perating med	•					eratated in	each positi	ion ?
		tion ?						tion/U/	T bels
	I single of IO ECIAL IN	I single operating med IO ECIAL INSPECTIO	I single operating mechanism & cor IO ECIAL INSPECTION Yes for special Inspection?	I single operating mechanism & conecting r IO  ECIAL INSPECTION Yes  for special Inspection ?	I single operating mechanism & conecting rod type so to   ECIAL INSPECTION Yes NO  for special Inspection ?   spector Signature	I single operating mechanism & conecting rod type switches inside to	I single operating mechanism & conecting rod type switches inside area and operating mechanism & conecting rod type switches inside area and operation in the substitution of the special inspection in the substitution of the substitution in the su	I single operating mechanism & conecting rod type switches inside area and operatated in IO  ECIAL INSPECTION Yes NO  for special Inspection ?	I single operating mechanism & conecting rod type switches inside area and operatated in each position.  ECIAL INSPECTION Yes NO  for special Inspection?  Supervisory Cretification

Name	A. Rabe		5a-66	-	Date Z	7-22-1	5	Page	of	
Vatc							W.O Numbe	e <u> 200</u>	867	°0°
Inspec	ted From Z	flicom	5	То	Cro	muell	•	(#5		
	Exception Chair	Marker No.	w.o.	Track	Rail	Switch	Cod	es	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.										
3.			測。							
4.										
5.									(*)	
6.										1041
7.			State of Ballings					,,,		
8.			部							
9.			制制制制件							
em .	COMMENTS									
)	7:00 7:00 3:00 4:00	o cro	n well on Sal I Bus	·	£	1128				
	Were Switchere all single op	perating med	a of Inspecte		es od type s	Nwitches inside		eratated in	each positi	on ?
	SPECIAL IN									
	eson for spec ckinspector Si		tion ?	•			Supervisor		tion <u>M</u>	19-7
1000000		ara.							V	111

Mata	(Please) the from Hu						W.O Numb	Page er_ 2007	of 73.79	/ <sup>*</sup>
	Exception Chain	Marker No.	w.o.,	Track	Rail	Switch	Cod	les	Status	Repair
item	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			性情報的關係	9)						
2.										
3.										
4.										
5.										
6.										.,4
7.									120	
8.										
9.   em	COMMENTS		E24-37 中国88455							
)	9:00 A 9:00 A 10:00 A 11:00 A 12:00 P	WARRE Timovi Luther N. A	ville	910		N	0			
	ere all single op NO SPECIAL IN						area and op	eratated in	each position	on ?⁵
Rea	ason for speci				5			-		_
_	ck Inspector Sig	w m a 41140					Supervisor		11 1	

tem 1. 2. 3. 4. 5. 6. 7.	Exception Chair From	Marker No. To	W.O. Numbert	No.	Rail E/W	Switch No.	Comp.	des Defect	Status S/Y/R	Repair
1. 2. 3. 4. 55. 66. 77. 68. 99.	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	
2. 3. 4. 5. 6. 7. 6. 9.				•					-, ,,,,	Y/N
3. 4. 5. 6. 7. 9.										
4. 5. 6. 7. 8.										
5. 6. 7. 8.										
6. 7. 8.			2017(99)(1171)(1232)(212)(1							
6. 7. 8.									15	
7. <del>8</del> .										
8. 9.										
9.										
	COMMENTS		Interior Pales State							
	1									
Were S	Were Switch all single ope NO	erating med	hanism & con	ecting ro	od type sw		area and ope	eratated in e	each positio	on ?
Reaso	on for specia	al Inspect	ion ?		5				v	
	inspector Sign		-	ž	¥	e .	Supervisory	· Cretificati	ion/Y/	end 17-
		Ju							1051	,

Watchman PEHU To Line W.O. Number 206 72 90° spected From PEHU To Line W.O. Number 206 72 90° witch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were Switch in the area of Inspected Yes No. Were all single operating mechanism & conecting rod type switches inside area and operated in each position?  SPECIAL INSPECTION Yes No. Wespection?		2	2 of =	Page 0	5	3-1	7-2	Date O				W. By (Please	ame
tem From To Number No. EW No. Comp. Defect SY/R  1	-	290	729	=r200	W.O Numb		E	Lin	То			лма <b>п</b>	
Item	Repair	itus R	Status	es	Cod	ch	Swite	Rall	Track	w.o.	Marker No.	Exception Chair	
1. 2. 3. 4. 5. 6. 6. 7. 6. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.	Y/N						No.	E/W	No.		То	From	item
3. 4. 5. 6. 7. 8. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.									•				
Were Switch in the area of Inspected Yes													_
Second for special inspection?  Second for special inspection?  Were Switch in the area of Inspected Yes No										i de la companya de La companya de la co	3		_
Were Switch In the area of Inspected Yes NO Were all single operating mechanism & conecting rod type switches inside area and operatated in each position?  SPECIAL INSPECTION Yes NO WEREAUTH SPECIAL Inspection?													<del>"</del>
Were Switch in the area of Inspected YesNO						-+							5.
Were Switch In the area of Inspected Yes			(max										_
8. 9.  Biding Inspection Track inspection Completed  Were Switch in the area of Inspected Yes				3 5 5 5						1000000000000			
9.  Biding inspection. Track inspection Completed  No New defects hoted in Grea.  Were Switch in the area of Inspected YesNO		_								and the second			
Were Switch in the area of Inspected YesNO	-											107	
Were Switch in the area of Inspected YesNO											***************************************	COMMENTS	em
SPECIAL INSPECTION Yes NO  Reason for special Inspection ?					V	NO_			d Ye	of Inspecte	In the area	Were Switch	Wa
, D	ie Š	osition ?	each posi	ratated in e	ea and ope	iside ar	viches in			V Yes	SPECTIO	NO/_ SPECIAL IN	9
Track Inspector Signature Supervisory Cretification	- :					-				on ?	al Inspecti	son for speci	Reas
Nata W. Byut	1/2	ffen T	ion <u>Mf</u>	Cretificati	upervisory	Sı			•	+			2

	19						Fact #			
Name	A. Rube	He :	5.5eC	_	Date /	7-23-13	5	Page	of	
	/ Diagon	Duluati								
Vatc	hman ted From	•					W.O Numbe	ar 200	7321	1,"
enec	ted From / U-	16 - 4 1/11	110	To	cal	Leonine	7		100	_
3poo	tod i foli	an ve	<u> </u>	10	Core	Spring				
_			Belleverstones beer province contractors							
	Exception Chain		- I THE RESIDENCE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED	Track	Rall	Switch	Cod	<b>es</b>	Status	Repair
em	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
			由始時間所能	8.						
2.	· ·	•(								
		-	1668-0086-0				137			
					_					
-			FOR AND ELEMENTS							
-					_					
			send palent							
			於問題批問題對的							, ii
			ereganinina.							
			didia divisit							
			PURSE HELDER							
n .	COMMENTS		ESO-TECHNICAS PROGRAMMA							
$\neg$		4 /	1 1 2 2			ts Not	/			
								111-2-12-271	8	
	Were Switchere all single op	erating med	a of Inspecte		esrod type s		O_ area and op	eratated in	each positi	on ?
	CDECIAL IN	ICDECTIC	) N		NO -	,				
	SPECIAL IN	194ECIIC	אוע Yes	<del></del>	NU					
	_									
Rea	ason for spec	ial Inspec	tion?							
Tra	ck Inspector Si Horfaldit	gnature		æ		ē	Supervisor	y Cretifica	tion M	7/2
									0	1-23

Name	W. 150	YOL	<u>e                                    </u>		Date ()	7-24-	15	Page	l of 2	. "
Watc	( Please				<u> </u>	,	W.O Numb			
.nspec	ted From	inthi	ion	To C	Jen	Well	_			
	Exception Chair	Marker No.	w.o.	Track	Rall	Switch	Cod	es	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2. 3.	*				,	~				
4.										
5.									24	
6.										
7.									7.	10
8.										
9.										
tem	COMMENTS					***************************************				
-	16.01		0 - F		4	, ,	,			
$\dashv$	IMACE	INSP	ection	1 (	Smy	lete	d			
$\rightarrow$	Ma hei	ii de.	Pect's	he	ted		1000			
	1-10 HE	w are	60 0	1 (0	100	IN a	hea			
						271327223				
C.										
			//							
									-	
_										
	¥									
	Were Switch	in the area	of Inspected	d Ye		N	0			
We	ere all single ope	erating meci	nanism & con	ecting re	od type sw	/Itches inside	area and ope	ratated in e	each positio	on 7
98	NO								- and it poots to	(8)
	SPECIAL IN	SPECTIO	N Yes	1	10L	_				
_	_									
Rea	son for specia	al Inspecti	on ?							
							ė			10
_									111	ント
Traci	k Inspector Sig	nature	A	,		0	Supervisory	Cretificat	ion/// D	act
1/	000 110	D.	1		34					7/~
100	ella W. O	Spa							17	197
									' [	Lil
		****								
7.1										
)										
		*								

Name	W. BLY				Date O	7-24-	-15	Page o	2 of 2	
1		560 11	<del></del>		1 1	اذ	W.O Numbe		146	
nspec	ted From	13W.	F.	То	Lin	<u> </u>	-	141		
	Exception Chair		w.o.	Track	Rall	Switch	Cod	68	Status	Repair
Item 1.	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
2.										
3.							(38)		-	
4.										
5.	- · ·			-					*	
6.									40	
7.	×								1/5	
8.			Barrieran (barriera) Barriera (barriera)							
9.	(2)	·					S ====			
m	COMMENTS									
+	Thack	LICINE	x+ 611	4	mole	ot ed				
	107.0	THE COLUMN			VAPO 16	- COI				
	NO ne	wd	e Pec-	45	no+	ed IN	ake	a.		
-										
-										
$\vdash$										
	T.							8	77-1	
	Were Switch	in the area	of Inspected	Ye	s_/		0			
We	ere all single ope	erating mec	hanism & con	ecting ro	od type sv	vitches inside	area and ope	ratated in e	ach positio	on ?
8	NO									27
	SPECIAL IN	SPECTIO	N Yes		NO_6					
		J. 10110	., , , , , , , , , , , , , , , , , , ,	'	10					
Rea	son for speci	al Inspect	on ?							
							7			
									!	9 ,
	k Inspector Sig			,		25	Supervisory	Cretificati	on_ <i>U</i> /	DUH
1 ) l	ela W	Z,	1		ŀ∳				1	
	and all	To							V	7-77
										1 2
)										
		14								

ame	5 SELL (Please hman 5 S ted From	/A RI	METE		Date	7-26-	15	Page	of	
7	( Please	Print)						2.4	2202	
Vatc	hman	ital	. Veren		,		W.O Numb	er_20/	1517	<u>/                                    </u>
spec	ted From	Camide	2 YD.	То	Lin	Drickin	-			
	Exception Cha	in Marker No.	w.o.	Track	Rail	Switch	Codes		Status	Repair
item	From	То	Number		E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			1944年4月18日							
2.		(•)								
3.		K								
4.										
	2								3	
5.	***************************************								-70	
6.										
7.			portion Contact							
8.			的可能性特殊							
9.			科學的關係							
em	COMMENTS									
	CHERRY N. LINI	Tricum	11:00		93	50				
						·			,	
		- 10 - 10 - 2								
			a of Inspecte		es		0			
	ere all single o		chanism & co	necting r	od type s	switches inside	area and op	eratated in	each positi	on ?
es	NO/	-								8
						/				
	SPECIAL II	NSPECTIO	DN Yes		NO_ <u>i_</u>					
_	_									
Rea	ason for spe	cial Inspec	tion?							_1
									,	//
									1/1	v _
Trac	ck Inspector S	ignature					Supervisor	y Cretifica	tion////////////////////////////////////	pu
	0. 0.	11				##			M	1
	Xtm S	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							4	/ / "
/										l